

# Röchling Engineering Plastics

## Material Safety Data Sheet

Version 1

Valid from March 1, 2011

Page 1 of 4

**Product: Polystone® M X-Ray Detectable (UHMW)**

---

### 1. Identification of the substance/preparation and of the company/undertaking.

Polystone® M XDT

Company

Röchling Engineering Plastics  
903 Gastonia Technology Parkway  
Gastonia, NC 28034

---

### 2. Composition/Information on Ingredients

Chemical characteristics: Polyethylene, Barium Sulfate, Pigments

Carcinogenic Substances: Neither the base product nor any of the additives are known to be carcinogenic.

---

### 3. Hazards Identification

No particular hazards known.

---

### 4. First Aid Measures

Contact with Eyes: This product is in solid sheet form. Always use proper eye protection when cutting or machining this material. In the event that dust or particles contact the eyes during subsequent machining or cutting, administer eyewash in same manner consistent with company safety policy and consult physician. The particles are not considered to be otherwise hazardous.

Inhalation: NA

Following Contact with Skin: After contact with molten product, cool quickly with cold water. Do not pull product from skin. See physician for medical treatment.

# Röchling Engineering Plastics

## Material Safety Data Sheet

Page 2 of 4

### **Product: Polystone<sup>®</sup> M X-Ray Detectable (UHMW)**

---

#### **5. Fire Fighting Measures**

Suitable Extinguishing Agents: water, foam, dry powder, carbon dioxide

In Case of Fire, the Following Hazardous Gases can be Produced: CO<sub>2</sub> and CO

Special Protective Equipment: For major fires, Self-contained breathing apparatus and personal protective equipment may be needed for large fires.

---

#### **6. Handling and Storage**

Product includes a combustible polymer. Store in a manner as not to expose to open flame or temperatures above the crystalline melt range listed below.

---

#### **7. Exposure Controls/Personal Protection**

General Protective Measures: No protective clothing is required for handling this product. Avoid contact of molten material with the skin.

---

#### **8. Accidental Release Measures**

None Required

---

#### **9. Physical and Chemical Properties**

Appearance: solid plastic

Odor: None

Physical Characteristics: Crystalline Melt Temperature: 120-140°C

Ignition Temperature: >360°C

Solubility: Non Soluble in Water

# Röchling Engineering Plastics

## Material Safety Data Sheet

Page 3 of 4

### **Product: Polystone® M X-Ray Detectable (UHMW)**

---

#### **10. Stability and Reactivity**

Thermal Decomposition: >390°C

Hazardous Reactions: No hazards known.

---

#### **11. Toxicological Information**

Remarks: According to experience, this product is considered to be harmless to health if handled in the correct manner.

---

#### **12. Ecological Information**

Disposal: This product can normally be disposed of as normal solid waste for landfills. However, Röchling Engineered Plastics holds no liability for disposal of this product. It is the user responsibility to comply with all local and state laws for proper disposal. Always consult the local regulatory agencies for proper disposal.

Remarks: The product is insoluble in water. Specific tests have not been run on this specific product, but it is not expected to be harmful to fish or bacteria. Always comply with local regulatory agencies for rules for proper disposal.

---

#### **13. Transport Information**

This product is considered a non-hazardous product.

# Röchling Engineering Plastics

## Material Safety Data Sheet

Page 4 of 4

**Product: Polystone® M X-Ray Detectable (UHMW)**

---

### 14. Regulatory Information

None specified. Always check with local authorities.

---

### 15. Other Information

This information is believed by the technical staff at Röchling Engineered Plastics to be true and accurate for the normal and intended use of this product as of the date that this MSDS sheet was produced. Since Röchling Engineered Plastic has no control over the actual use of this product, it is sole responsibility of the user to determine the proper protection with regards to safety and disposal of this product. Röchling Engineered Plastics further recommends consulting local regulatory agencies to determine applicable laws and regulations.