

# The VMX portfolio for the food processing industry

---

Seeing the opportunity in  
detectable engineered plastics



Increase safety and efficiency with the **VMX (Visual, Metal, X-Ray) portfolio**. Our new VMX polymers enhance your food processing capabilities by bringing three-way detectability and dual food compliance (EU and FDA). The range includes four unique polymers – each tailored to meet different performance requirements.

---

# Better performance through a safety-first approach

Safety is the highest priority for processors and Original Equipment Manufacturers (OEM). Your reputation is banked on it. Contamination in a food product could mean food recalls, legal penalties, brand damage and even bankruptcy.

That's why food safety is always at the top of our agenda. But we also know that OEMs and processors face further challenges. Food processing speeds continue to increase. This in turn causes increased stresses on equipment, leading to potential failure of components which can risk food contamination in the long run. In order to improve food processing safety, the need for components that use high-performing, detectable polymers has never been greater.

## **Our new VMX polymers.**

A unique portfolio of materials for the globally evolving detection technology in food processing environments. Not only will they improve safety, but also help you to meet your sustainability targets and help improve your production capabilities with:

- **Higher processing speeds** – our plastics weigh 1/7th that of metals allowing for higher processing speeds.
- **Longer up-time** – our materials are self-lubricating which leads to less wear and reduces need for lubrication.



# With you every step of the way

With Mitsubishi Chemical Advanced Materials, you have a reliable partner in your corner. From prototype to production, we make it possible for engineers to select the right materials to transform historical components into more efficient parts.

Our industry-leading experts can help you get your ideas to market faster and are committed to increasing the efficiency and safety of your individual food processes.

Ultimately, our detectable, food-grade compliant materials and wear-resistant parts help deliver food to the market safer and faster.

## VMX Benefits

VMX has been developed and designed to support all food types and detection technologies. Leading global OEMs can benefit from the following unbeatable advantages:

- **Increased detection** via particle detection from 2mm\* in Visual (materials are a highly visible blue), Metal and X-Ray.
- **Regulatory compliance** with FDA and EU 10/2011 Food Grade (all products come with migration test documentation) for use in food processing. Also manufactured within GMP guidelines.
- **High-quality material** is in stock globally. It is designed by our experts who truly understand the requirements of the food processing industry.


\*detectable size varies depending on food and technology type.



- **Resistance** to high temperatures and aggressive chemicals which would otherwise corrode metals – ideal for clean in place (CIP) and sanitize in place (SIP).

# 3-way detectable materials


We are unique in the industry – the only company to offer a full range of food compliant materials that are detectable in three ways:



## VMX portfolio

Our VMX portfolio spans much more than traditional metal detectable solutions. VMX products improve the safety and integrity of processing operations and food quality – having superior mechanical properties to help improve overall production efficiencies.

# Discover a host of applications




## **Ketron® VMX PEEK**

- Used in applications where high line speeds require enhanced wear resistance or where operating temperatures are higher than 130°C (266°F)
- For multiple sterilizable machine parts, mainly in equipment with CIP (clean in place) or SIP (sterilization in place)
- Resistant to steam
- Suitable for food approved parts requiring high stiffness without reinforcements
- High dimensional stability for high precision parts
- Enhanced impact/stiffness ratio
- Highly visible blue color

### **Applications**

- Filling pistons
- Manifolds
- Valves
- Scrapers in cookers and high-temperature mixers
- Hot oil applications in fryers and ovens
- Thrust washers
- Guiders
- Bushings




## **TIVAR® VMX UHMW-PE**

- Best in class impact resistance and low Coefficient of Friction
- Medium dimensional stability due to extreme low water absorption, but high Coefficient of Linear Thermal Expansion (CLTE)
- Good performance in a cryogenic environment
- Excellent release properties
- Continuous use temperature up to 80°C (176°F)
- Highly visible blue color

### **Applications**

- Chain guider elements
- Funnel
- Rollers
- Bushings
- Sprockets
- Mixing paddles




### Acetron® VMX POM-C

- Optimal balance of stiffness and impact strength
- Superior dimensional stability
- Continuous use temperature up to 105°C (221°F)
- Highly visible blue color

#### Applications

- Scrapers
- Funnels
- Guiders
- Grippers
- Gears
- Extrusion die
- Cutting blade



### Nylatron® VMX PA6

- High wear and fatigue resistance
- Lower moisture absorption than standard PA6
- Continuous use temperature up to 85°C (185°F)
- Highly visible blue color

#### Applications

- Thrust washers
- Seals
- Rollers
- Pulleys

#### Please note

Please note that every Mitsubishi Chemical Advanced Materials material must be tested in the exact processing environment to assure proper particle detections. Results vary from different food types, type of detection technology and processing environments (temperatures, vibrations, electrical noise, etc.)

Visuals contained on page 4 of this publication utilized Mettler Toledo equipment and were captured at the Shawpak Systems Ltd. Centre of Excellence, where testing of the VMX materials was carried out.

#### Disclaimer

All statements, technical information and recommendations contained in this publication are presented in good faith and are, as a rule, based upon tests and such tests are believed to be reliable and practical field experience. The reader, however, is cautioned that Mitsubishi Chemical Advanced Materials does not guarantee the accuracy or completeness of this information and it is the customer's responsibility to determine the suitability of the products of Mitsubishi Chemical Advanced Materials in any given application.



**Shawpak Systems Ltd.**  
Centre of Excellence,  
10 - 760 Pacific Road,  
Oakville, ON L6L 6M5  
[www.shawpak.com](http://www.shawpak.com)

# Our experts are ready to help

We provide a wide range of polymer-based advanced materials, unrivaled expertise and access to industry-leading tools and technology.

To boost your food processing safety and efficiencies: [contact@mcam.com](mailto:contact@mcam.com)

To find out more about our food compliant materials portfolio, visit: <https://www.mcam.com/eu-en/industries/food-beverage/>

Acetron®, Ketron®, Nylatron® and TIVAR® are registered trademarks of the Mitsubishi Chemical Advanced Materials group.

This guide was created by Mitsubishi Chemical Advanced Materials. Design and content are protected by copyright law. Copyright ©2021 the Mitsubishi Chemical Advanced Materials group of companies.

All rights reserved.

